

Epoxy Coating Drawer Slides

King Slide offers a variety of ball bearing slides. Consistent high quality product and well planned production capacity in our factories have earned the trust of customers world-wide.

Choosing King Slide will keep you away from frequent annoyances such as doubtful loading capacity and short product life cycle. The best slide comes from King Slide. Our quality is the best warranty.



Regular Bottom Mount Roller Slide



Specifications

• Length: 300mm to 600mm • Travel: 3/4 Full Extension

• **Side Space:** 12mm (+0.5mm-0mm)

• Hole Pattern: 32mm • Mount: Bottom Mount • Finish: Epoxy Power Coating • Color: White, Black and Brown • Material: Cold Rolled steel


Packing

• Unit Packed in 20 sets/carton


• Bulk Packed: CL: 100pcs/carton

CR: 100pcs/carton DL: 100pcs/carton DR: 100pcs/carton

Applications




Dimension Specifications



Note: Holes other than those shown may be in the slide member at King Slide's option and may change without notice.

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8101-300	300.0 (12.00)	215.0 (8.46)
8101-350	350.0 (14.00)	265.0 (10.43)
8101-400	400.0 (16.00)	315.0 (12.40)
8101-450	450.0 (18.00)	365.0 (14.37)
8101-500	500.0 (20.00)	405.0 (15.94)
8101-550	550.0 (22.00)	448.0 (17.63)
8101-600	600.0 (24.00)	490.0 (19.29)



Regular Side Mount Roller Slide

Specifications

• Length: 300mm to 500mm • Travel: 3/4 Full Extension

• **Side Space:** 12mm (+0.5mm-0mm)

Hole Pattern: 32mmMount: Side Mount

Finish: Epoxy Power Coating
Color: White, Black and Brown
Material: Cold Rolled steel



Packing


• Unit Packed in 20 sets/carton

• Bulk Packed: CL: 100pcs/carton


CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton

Applications


Pencil Drawer



Dimension Specifications



Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8102-300	300.0 (12.00)	215.0 (8.46)
8102-350	350.0 (14.00)	265.0 (10.43)
8102-400	400.0 (16.00)	315.0 (12.40)
8102-450	450.0 (18.00)	365.0 (14.37)
8102-500	500.0 (20.00)	405.0 (15.94)



8103 Self-Closing Bottom Mount Slide



Specifications

• Length: 250mm to 600mm • Travel: 3/4 Full Extension

• **Side Space:** 12mm (+0.5mm-0mm)

Hole Pattern: 32mm
Mount: Bottom Mount
Finish: Epoxy Power Coating
Color: White, Black and Brown
Material: Cold Rolled steel

Packing


• Unit Packed in 20 sets/carton

Bulk Packed: CL: 100pcs/carton

CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton

Applications


Pencil Drawer



Dimension Specifications

8103-600S
8103-550S
8103-550S
8103-450S
8103-450S
8103-450S
8103-350S
8103-350S
8103-350S
8103-350S
8103-350S
8103-350S
8103-250S

Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8103-250	250.0 (10.00)	165.0 (6.50)
8103-300	300.0 (12.00)	215.0 (8.46)
8103-350	350.0 (14.00)	265.0 (10.43)
8103-400	400.0 (16.00)	315.0 (12.40)
8103-450	450.0 (18.00)	365.0 (14.37)
8103-500	500.0 (20.00)	405.0 (15.94)
8103-550	550.0 (22.00)	448.0 (17.63)
8103-600	600.0 (24.00)	490.0 (19.29)



8127 Self-Closing Bottom Mount Slide



Specifications

• Length: 418mm, 500mm, 570mm

• Travel: 3/4 Full Extension

• **Side Space:** 12mm (+0.5mm-0mm)

Hole Pattern: 32mmMount: Bottom MountFinish: Epoxy Power Coating

• Color: White, Cream

• Material: Cold Rolled steel

Packing


• Unit Packed in 20 sets/carton

• Bulk Packed: CL: 50pcs/carton


CR: 50pcs/carton
DL: 50pcs/carton
DR: 50pcs/carton

Applications


Kitchen Cabinet



Dimension Specifications



Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8127-418	418.0 (16.46)	280.0(11.02)
8127-500	500.0 (19.69)	362.0 (14.25)
8127-570	570.0 (22.44)	432.0 (17.00)



8113 Adjustable Self-Closing Bottom Mount Roller Slide



Specifications

• Length: 450mm

• Travel: 3/4 Full Extension

• **Side Space:** 12mm (+0.5mm-0mm)

Hole Pattern: 32mm
Mount: Bottom Mount
Finish: Epoxy Power Coating
Color: White, Black and Brown
Material: Cold Rolled steel

Packing


Unit Packed in 20 sets/carton

• Bulk Packed: CL: 100pcs/carton

CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton


Applications

Kitchen Cabinets




Dimension Specifications

mm (inch)



Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8113-450	450.0 (18.00)	365.0(14.37)



8120 Self-Closing Bottom Mount Slide with Quiet Motion



Specifications

Length: 250mm to 600mmTravel: 3/4 Full Extension

• **Side Space**: 12mm (+0.5mm-0mm)

Hole Pattern: 32mm Mount: Bottom Mount Finish: Epoxy Power Coating

• Color: White, Almond, Black and Brown

Material: Cold Rolled steelFeature: Very Quiet Slide Motion

Packing


• Unit Packed in 20 sets/carton

• Bulk Packed: CL: 100pcs/carton

CR: 100pcs/carton
DL: 100pcs/carton
DR: 100pcs/carton


Applications

Pencil Drawer




Dimension Specifications

mm (inch)





Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8120-250	250.0 (10.00)	165.0 (8.46)
8120-300	300.0 (12.00)	215.0 (8.46)
8120-350	350.0 (14.00)	265.0 (10.43)
8120-400	400.0 (16.00)	315.0 (12.40)
8120-450	450.0 (18.00)	365.0 (14.37)
8120-500	500.0 (20.00)	405.0 (15.94)
8120-550	550.0 (22.00)	448.0 (17.63)
8120-600	600.0 (24.00)	490.0 (19.29)



8106 Quick Assembly Slide US Patent No. 5449231



Specifications

• Length: 350mm to 400mm • Travel: 3/4 Full Extension

• **Side Space:** 12mm (+0.5mm-0mm)

Hole Pattern: 32mm
Mount: Bottom Mount
Finish: Epoxy Power Coating
Color: White, Black and Brown
Material: Cold Rolled Steel

Features: Quick assembly / disassembly without screw.
 Provide great convenience and efficiency for
 DIY customers and for mass production.

Packing


• Unit Packed in 20 sets/carton

• Bulk Packed: CL: 100pcs/carton

CR: 100pcs/carton DL: 100pcs/carton DR: 100pcs/carton

Applications

· Furniture and Kitchen Cabinet



Dimension Specifications

mm (inch)

8106-450S	35 128 224 450	
	35 352	
	CL = 701 500 = 0 PN15.657 867	

8106-400S

35

128


224

400


35


35

352



Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8106-350	350.0 (14.00)	265.0 (10.43)
8106-400	400.0 (16.00)	315.0 (12.40)





8122 2P Regular Bottom Mount Slide



Specifications

• Length: 350mm to 400mm • Travel: 3/4 Full Extension

• **Side Space:** 12mm (+0.5mm-0mm)

• Hole Pattern: 32mm • Mount: Bottom Mount • Finish: Epoxy Power Coating • Color: White, Black and Brown • Material: Cold Rolled steel

Packing


• Unit Packed in 20 sets/carton

• Bulk Packed: CL: 100pcs/carton

CR: 100pcs/carton DL: 100pcs/carton DR: 100pcs/carton


Applications

Pencil Drawer




Dimension Specifications

mm (inch)



Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8122-350	350.0 (14.00)	265.0(10.43)
8122-400	400.0 (16.00)	315.0 (12.40)



B124 Dual-Captive Bottom Mount Slide with Socket

China Patent No. 396932, No.419360



Specifications

• Length: 437mm, 513mm, 589mm

• Travel: 3/4 Full Extension

• **Side Space**: 12mm (+0.5mm-0mm)

• Hole Pattern: 32mm • Mount: Bottom Mount • Finish: Epoxy Power Coating

• Color: White, Cream • Material: Cold Rolled steel

• Feature: Slide Self-adjusts Its Width for Optimum Slide

Motion

Packing


• Unit Packed in 20 sets/carton

· Bulk Packed: CL: 50pcs/carton

CR: 50pcs/carton DL: 50pcs/carton DR: 50pcs/carton

Applications


· Wooden Kitchen Cabinet / Drawer



Dimension Specifications

mm (inch)		
8124-437	418	
8124-418	-439 -40 -380 -514	4
8124-513	462	
8124-500	-500 -500 	
8124-589	589	3
8124-570	570 — • • • • • • • • • • • • • • • • • •	•

Item No.	Slide Length mm (inch)	
8124-437 (CL, CR)	437.0 (17.20)	280.0(11.02)
8124-418 (DL, DR)	418.0 (16.46)	280.0 (11.02)
8124-513 (CL, CR)	513.0 (20.20)	362.0 (14.25)
8124-500 (DL, DR)	500.0 (19.69)	362.0 (14.25)
8124-589 (CL, CR)	589.0 (23.19)	432.0 (17.00)
8124-570 (DL, DR)	570.0 (22.44)	432.0 (17.00)



8153 Under Mount Slide



Specifications

• Length: 434mm to 589mm • Travel: 3/4 Full Extension

• **Side Space:** 16.9mm (+0.5mm-0mm)


Hole Pattern: 32mm
Mount: Under Mount
Finish: Epoxy Power Coating
Color: White, Brown, Black
Material: Cold Rolled steel

Packing

• Unit Packed in 25 sets/carton


Applications

• Pencil Drawer




Dimension Specifications

mm (inch)



Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8153-434	434.0 (17.09)	308.0(12.13)
8153-510	510.0 (20.08)	362.0 (14.25)
8153-589	589.0 (23.19)	420.0 (16.54)







Specifications

Length: 509mm to 585mmTravel: Full Extension

• Side Space: 11.25mm (+0.5mm-0mm)


Hole Pattern: 32mm
Mount: Bottom Mount
Finish: Epoxy Power Coating
Color: White, Brown, Black
Material: Cold Rolled steel

Packing

Unit Packed in 50 sets/carton


Applications

· Pencil Drawer





Dimension Specifications

mm (inch)



Item No.	Slide Length mm (inch)	Slide Travel mm (inch)
8170-509	509.0 (20.04)	489.0(19.25)
8170-572	572.0 (22.52)	552.0 (21.73)
8170-585	585.0 (23.03)	565.0 (22.24)





8133 86mm Screw-on Wall Slide



Specifications

• Length: 350mm to 550mm • Travel: 3/4 Full Extension

• **Side Space:** 15.5mm (+0.5mm-0mm)


Hole Pattern: 32mm
Mount: Bottom Mount
Finish: Epoxy Power Coating
Color: White, Sliver Gray
Material: Cold Rolled steel

Packing

• Unit Packed in 10 sets/carton


Applications

· Pencil Drawer




Dimension Specifications

mm (inch)



		Slide Length mm (inch)	Min Internal Cabinet Depth mm (inch)	Actual Loss Of Extension mm
8133-350S	86	350.0 (13.78)	357.0 (14.06)	67
8133-400S	86	400.0 (15.75)	407.0 (16.02)	67
8133-450S	86	450.0 (17.72)	457.0 (18.00)	77
8133-500S	86	500.0 (19.69)	507.0 (19.96)	84
8133-550S	86	550.0 (21.65)	557.0 (21.93)	92



8134 118mm Screw-on Wall Slide



Specifications

• Length: 350mm to 550mm • Travel: 3/4 Full Extension

• **Side Space:** 15.5mm (+0.5mm-0mm)


• Hole Pattern: 32mm • Mount: Bottom Mount • Finish: Epoxy Power Coating • Color: White, Sliver Gray • Material: Cold Rolled steel

Packing


• Unit Packed in 10 sets/carton

Applications


Pencil Drawer



Dimension Specifications



Item No.		Slide Length mm (inch)	Min Internal Cabinet Depth mm (inch)	Actual Loss Of Extension mm
8134-350S	118	350.0 (13.78)	357.0 (14.06)	67
8134-400S	118	400.0 (15.75)	407.0 (16.02)	67
8134-450S	118	450.0 (17.72)	457.0 (18.00)	77
8134-500S	118	500.0 (19.69)	507.0 (19.96)	84
8134-550S	118	550.0 (21.65)	557.0 (21.93)	92



8135 150mm Screw-on Wall Slide



Specifications

• Length: 350mm to 550mm • Travel: 3/4 Full Extension

• **Side Space:** 15.5mm (+0.5mm-0mm)


Hole Pattern: 32mm
Mount: Bottom Mount
Finish: Epoxy Power Coating
Color: White, Sliver Gray
Material: Cold Rolled steel

Packing


• Unit Packed in 10 sets/carton

Applications

Pencil Drawer



Dimension Specifications



Item No.	Slide Hight mm	Slide Length mm (inch)	Min Internal Cabinet Depth mm (inch)	Actual Loss Of Extension mm
8135-350S	150	350.0 (13.78)	357.0 (14.06)	67
8135-400S	150	400.0 (15.75)	407.0 (16.02)	67
8135-450S	150	450.0 (17.72)	457.0 (18.00)	77
8135-500S	150	500.0 (19.69)	507.0 (19.96)	84
8135-550S	150	550.0 (21.65)	557.0 (21.93)	92

